

Suspected Adverse Reaction Report Form Source of report: spontaneous post-authorization study unsponsored study 1. Patient Details & History Patient initials Age at onset Height Date of hirth Sex Weight **Pregnancy** Country of occurrence of reaction (First - Last) (dd/mmm/yyyy) (use full name) yes female cm ☐ kg no male ☐ lb in Relevant patient history (e.g. diagnoses, allergies, pre-existing medical conditions, smoking & alcohol use, pregnancy with last month of period, etc.) 2. Suspect Medicinal Product Information Suspect Medicinal Product(s) (include all information available: trade name, generic Batch number(s) $Expiry\ Date(s)\ (\text{dd/mmm/yyyy})$ name, form and dosage) 1. 1. 2. 2. Rate of infusion (if applicable) Daily dose Route of Concentration of solution administration (mL/min) Time infusion commenced Solvent used for reconstitution of the lyophilized product 2. (if applicable) (if applicable) Current therapy dates related to this reported reaction(s) (dd/mmm/yyyy, Indication(s) for use From 1. 2. 2. 3. Adverse Reaction Information Describe adverse reaction(s) (give signs or symptoms, diagnosis, course) including relevant tests / laboratory data (continue on separate page if you need more space) 1. 2. Please attach de-identified copies of relevant documentation (medical report, results, laboratory findings, expert's report, anaesthetist's report) Onset of reaction(s) End of reaction(s) (dd/mmm/yyyy, time) (dd/mmm/yyyy, time) Treatment of adverse reaction(s)

Version 6 dated 10-Aug-2007 Page 1 of 2

CSL Behring * Pharmacovigilance * P.O. Box 12 30 * 35002 Marburg, Germany * Fax +49-6421-39-4775 * Email: phy.reporting@cslbehring.com

CSL Behring * Pharmacovigilance * Wankdorfstrasse 10 * 3000 Bern 22, Switzerland * Fax +41-31-344-5486 * Email: PVIGI@cslbehring.com

CSL Behring * Pharmacovigilance * PO Box 61501 * 19406-0901 King of Prussia/USA * Fax +1-610-878-4487 * Email: KOP.PHV@cslbehring.com

CSL Bioplasma * Medical Affairs Department * 189-209 Camp Road * Broadmeadows, Victoria Australia 3047 * Fax: +61-3-9246-5801 * Email: drugsafety.bioplasma@csl.com.au

CSL Limited * Medical Affairs Department * 45 Poplar Road * Parkville, Victoria Australia 3052 * Fax +61-3-9389-1160 * Email pharmacovigilance@csl.com.au



Suspected Adverse Reaction Report Form

3. Adverse Reaction Information (continued)									
Is the case serious? Reaction abated after stopping medicine Reaction Re								opping medicinal	
Yes No (if yes please tick at least one of the following boxes)						product?			
Death(dd/mmm/yyyy) Autopsy (tick if yes)						1. ☐ Yes 2. ☐ Yes	☐ No ☐ No	☐ Not applicable☐ Not applicable	
Cause of death Life-threatening						Reaction reappeared after reintroduction?			
Persistence or significant disability/incapacity						1. ☐ Yes 2. ☐ Yes	□ No	☐ Not applicable☐ Not applicable	
Required intervention to prevent permanent impairment/damage Congenital anomaly/birth defect						_	_		
Hospitalisation – initial or prolonged						Previous therapy with suspect medicinal product?			
☐ Suspected transmission of an infectious agent						1. Yes	☐ No	☐ Not applicable	
Case Outcome Cau				lity Assessment		2. Yes	☐ No	☐ Not applicable	
Recovered(dd/mmm/yyyy)				Highly probable		Suspect medic	inal produ	ct tolerated in the	
Recovered with sequelae(please specify)				past?			-		
☐ Permanently disabled ☐				Unlikely		1. Yes	☐ No	Not applicable	
☐ Died			☐ U:	Unassessable		2. Yes	☐ No	☐ Not applicable	
Not yet recovered						If yes, therapy dates			
Unknown					(dd/mmm/yyyy)				
4. Concomitant Medicinal Product(s) (exclude those used to treat reaction)									
						s (start/stop) Indication(s) for use		on(s) for use	
product(s) (trade name) /	(s) (trade name) / dose		administration of a			lministration			
dosage and form		(with units)		(dd/mi		mm/yyyy)			
1.									
2.									
3.									
5. Reporter Information									
This Form also requests some information about you, the reporter/treating doctor. This information will be used by CSL in connection with any follow up investigation of the event by CSL. This information may also be accessed by other members of the CSL Group of companies (some of which are resident overseas) as part of CSL's global adverse event reporting database. If this									
information is not provided it may adversely effect our investigation. This information will be retained by CSL for as long as it is required for this purpose or as required by law. You can acces this information (to the extent authorised by the Privacy Act 1988 and other applicable laws) by contacting CSL's Privacy Officer at 45 Poplar Road, Parkville, Victoria, Australia 3052									
Details of Reporter Details of Treating Doctor (If different from Reporter)									
(If the reporter is the patient, has the patient given consent to CSL to follow up the					Details of Frenching Detail (if afferent from Reporter)				
adverse reaction report with the healthcare professional?) yes no									
Occupation: Full Name:					Full Name:				
Organisation/Address:				Organisation/Address:					
Telephone:				Telephone:					
Fax:				Fax:					
Email:				Email:					
Date & Signature				Date & Signature					
Dute & Dignature									
6. Administrative Information (Internal Use Only)									
International (WAVES)				Date first received by manufacturer (dd/mmm/yyyy)					
case no. CCS Number									
								2 (11/1)	
Report received by Name				MR 🗌	Date first received by Pharmacovigilance (dd/mmm/yyyy) MR BRN KOP BMW PKV				
Local Affiliate/Country									
Date & Signature				Initial		Follow-	up□		

CSL Behring * Pharmacovigilance * P.O. Box 12 30 * 35002 Marburg, Germany * Fax +49-6421-39-4775 * Email: phv.reporting@cslbehring.com

CSL Behring * Pharmacovigilance * Wankdorfstrasse 10 * 3000 Bern 22, Switzerland * Fax +41-31-344-5486 * Email: PVIGI@cslbehring.com

CSL Behring * Pharmacovigilance * PO Box 61501 * 19406-0901 King of Prussia/USA * Fax +1-610-878-4487 * Email: KOP.PHV@cslbehring.com

CSL Bioplasma * Medical Affairs Department * 189-209 Camp Road * Broadmeadows, Victoria Australia 3047 * Fax: +61-3-9246-5801 * Email: drugsafety.bioplasma@csl.com.au

Page 2 of 2

CSL Limited * Medical Affairs Department * 45 Poplar Road * Parkville, Victoria Australia 3052 * Fax +61-3-9389-1160 * Email pharmacovigilance@csl.com.au